

Solidcom C1 Pro

The Solidcom C1 Pro, Hollyland's first-of-its-kind full-duplex wireless intercom headset system featuring dual-mic Environmental Noise Cancellation (ENC) technology, is incredibly lightweight and easy to use, ideal for production teams working in loud environments where exceptional communication clarity is essential.





Dual-Mic ENC



PTT Function



150Hz-7kHz Wideband Audio



1,100ft (350m) Reliable Range



DECT 6.0-Enhanced Stability



Ultra-long Duration



Increased Portability & Durability



Ready Out of Box



Backward Compatibility



PARAMETERS	
Transmission Range	1,100ft (350m) LOS
Frequency Band	1.9 GHz (DECT) (varies by country and region)
Modulation Mode	GFSK
RX Sensitivity	<-90dBm
Battery Capacity	700mAh (2.66Wh)
Operation Time	Remote headset: >10 hours (ENC ON) Master headset: >5 hours (ENC ON with 5 remote headsets) Master headset: >4 hours (ENC ON with 7 remote headsets)
Charging Time	About 2.5 hours
Frequency Response	ENC OFF: 150Hz-7kHz (fluctuation range: ±6dB) ENC ON: 150Hz-7kHz (fluctuation range: ±10dB)
Signal-to-Noise Ratio	71±2dB@94dBSPL,1kHz
Distortion	<1%@94dBSPL, 150Hz-7kHz
Microphone Type	Electret
Input SPL	>115dBSPL
Output SPL	94±3dBSPL (@94dBSPL, 1kHz)
ENC	20dB±2
Net Weight	About 170g (6oz) with the battery included for each wireless headset
Temperature Range	0°C to 45°C (working condition) −10°C to 60°C (storage condition)

PACKING LIST Note: The quantity of the items depends on the product configuration.								
Item	4-Person Headset System	6-Person Headset System						
Master Headset (With Red Nameplate)	×1	×1	Red Nameplate	Blue Nameplate				
② Remote Headset (With Blue Nameplate)	×3	×5	1	2	3	4		
③ Charging Case	×1	×1				_		
④ Over-ear Leather Cushion	×4	×6		/)	_4			
⑤ Battery	×8	×12	No. 10 10 10 10 10 10 10 1					
⑥ Microphone Cushion	×4	×6		_				
① DC Adapter	×1	×1	5	6	(7)	8		
On-ear Foam Cushion	×4	×6			_			
USB-A to USB-C Cable	×1	×1						
10 Storage Case	×1	×1						
① User Manual	×1	×1	9					
[®] Warranty Card	×1	×1		10	(11)	(12)		
		1	I .					

